Australian Journal of Agricultural Research

Index to Volume 50

Adkins SW *See* Ockerby SE *et al.* 937, 945
Aitken EAB *See* Miric E *et al.* 325
Aitken RL, Dickson T, Hailes KJ, Moody PW Response of field-grown maize to applied magnesium in acidic soils in north-eastern Australia. 191
Ajmal Khan M *See* Qamar IA *et al.* 1, 11, 21
Ali A *See* Qamar IA *et al.* 1, 11, 21
Amirul Islam FM, Wasimi SA, Wood GR Macro-scale influence of climate on crop production in the Fitzroy catchment of Central Queensland. 529
Anderson MW *See* Smith KF *et al.* 79
Annison G *See* Choct M *et al.* 447
Araus JL *See* Voltas J *et al.* 1263
Archer JA, Richardson EC, Herd RM, Arthur PF Potential for selection to improve efficiency of feed use in beef cattle: a review. 147
Armesto AP *See* Voltas J *et al.* 1263
Armstrong RD, McCosker K, Johnson SB, Walsh KB, Millar G, Kuskopf B, Standley J, Probert ME Legume and opportunity cropping systems in Central Queensland. 1. Legume growth, nitrogen fixation, and water use. 909
Armstrong RD, McCosker K, Millar G, Kuskopf B, Johnson S, Walsh K, Probert ME, Standley J Legume and opportunity cropping systems in Central Queensland. 2. Effect of legumes on following crops. 925
Arthur PF *See* Archer JA *et al.* 147
Ashes JR *See* White CL *et al.* 855
Ayres JF *See* Jahufer MZZ *et al.* 561

Baker GH, Carter PJ, Barrett VJ Survival and biomass of earthworms, *Aporrectodea* spp. (Lumbricidae), when introduced to pastures in south-eastern Australia. 1233
Influence of earthworms, *Aporrectodea* spp.(Lumbricidae), on pasture production in south-eastern Australia. 1247
Baker SK Rumen methanogens, and inhibition of methanogenesis. 1293
Baker SK *See* Revell DK *et al.* 101. *See* Ulyatt MJ *et al.* 1329
Balnave D, Brake J Responses of broilers to sodium bicarbonate supplementation of diets containing varying arginine : lysine ratios. 425
Barrett VJ *See* Baker GH *et al.* 1233, 1247
Barrett-Lennard EG, van Ratingen P, Mathie MH The developing pattern of damage in wheat (*Triticum aestivum* L.) due to the combined stresses of salinity and hypoxia: experiments under controlled conditions suggest a methodology for plant selection. 129
Barrie Purser D *See* Revell DK *et al.* 101
Barwick SA, Henzell AL Assessing the value of improved marbling in beef breeding objectives and selection. 503
Baston M-G Effect of pasture renovation on the size and composition of the germinable fraction of the seed pool beneath bent grass (*Agrostis castellana*) pastures in southern Victoria. 87
Bennett SJ Ecotypic variation between and within two populations of *Trifolium tomentosum* (woolly clover) from Syria and Western Australia: its success as a colonising species. 1443
Berger JD, Siddique KHM, Loss SP Cool season grain legumes for Mediterranean environments: species × environment interaction in seed quality traits and anti-nutritional factors in the genus *Vicia*. 389
Cool season grain legumes for Mediterranean environments: the effect of environment on non-protein amino acids in *Vicia* and *Lathyrus* species. 403
Bernuetz A *See* Schneider B *et al.* 333
Birch CJ, Hammer GL, Rickert KG Dry matter accumulation and distribution in five cultivars of maize (*Zea mays*): relationships and procedures for use in crop modelling. 513
Blair G *See* Chen W *et al.* 1381
Blakeney AB *See* Evers AD *et al.* 629. *See* Petterson DS *et al.* 775
Blamey FPC *See* Pengelly BC *et al.* 253
Bolger TP, Turner NC Water use efficiency and water use of Mediterranean annual pastures in southern Australia. 1035
Borrell AK, Garside AL, Fukai S, Reid DJ Grain quality of flooded rice is affected by season, nitrogen rate, and plant type. 1399
Bortolussi G, Ternouth JH, McMeniman NP Phosphorus repletion of cattle previously exposed to dietary nitrogen and phosphorus deficiencies. 93
Brake J *See* Balnave D *et al.* 425
Brand JD, Tang C, Rathjen AJ Adaptation of *Lupinus angustigolius* L. and *L. pilosus* Murr. to calcareous soils. 1027
Bray RA *See* Jahufer MZZ *et al.* 561
Bristow KL *See* Smettem KRJ *et al.* 283, 1259
Bryden WL *See* Ravindran V *et al.* 889, 1159
Bwye AM, Jones RAC, Proudlove W Effects of different cultural practices on spread of cucumber mosaic virus in narrow-leafed lupins (*Lupinus angustifolius*). 985

Cameron FJ *See* Riffkin PA *et al.* 261, 273
Carr SJ *See* Loi A *et al.* 303, 1073
Carter PJ *See* Baker GH *et al.* 1233, 1247
Cawood RJ *See* Panozzo JF *et al.* 997
Cayley JWD, Kearney GA Changes in bicarbonate-extractable phosphorus of a basalt-derived duplex soil associated with applications of superphosphate to pasture grazed by sheep. 547
Cayley JWD, Kearney GA, Saul GR, Lescun CL The long-term influence of superphosphate and stocking rate on the production of spring-lambing Merino sheep in the high rainfall zone of southern Australia. 1179
Chen W, Blair G, Scott J, Lefroy R Nitrogen and sulfur dynamics of contrasting grazed pastures. 1381
Cheng Y, Jones RAC Distribution and incidence of necrotic and non-necrotic strains of bean yellow mosaic virus in wild and crop lupins. 589
Choct M *See* Hughes RJ *et al.* 689. *See* Rowe JB *et al.* 721. See Petterson DS *et al.* 775
Choct M, Hughes RJ, Annison G Apparent metabolisable energy and chemical composition of Australian wheat in relation to environmental factors. 447
Ciavarella TA *See* Gatford KL *et al.* 453. *See* Dove H *et al.* 475
Clifton CA *See* Johnston WH *et al.* 29
Cocks PS *See* Loi A *et al.* 303, 1073. *See* Dear BS *et al.* 1047. *See* Revell CK *et al.* 1211. *See* Dunbabin MT *et al.* 1451
Cole IA *See* Johnston WH *et al.* 29
Coombe BG *See* Stevens RM *et al.* 343
Cooper DW *See* Parsons YM *et al.* 1099
Cooper M *See* Kamoshita A *et al.* 137. *See* Jahufer MZZ *et al.* 561

D'Souza DN, Dunshea FR, Leury BJ, Warner RD Effect of mixing boars during lairage and pre-slaughter handling on pork quality. 109
Dahanayake SR, Galwey NW Diallel analysis of vernalisation responses in spring rape (*Brassica napus* L.): a basis for adaptation to a Mediterranean environment. 1417

Davis R *See* Schneider B *et al.* 333
Davis SR *See* Lee J *et al.* 413
De La Rue S *See* Schneider B *et al.* 333
Dear BS, Cocks PS, Peoples MB, Swan AD, Smith AB Nitrogen fixation by subterranean clover (*Trifolium subterraneum* L.) growing in pure culture and in mixtures with varying densities of lucerne (*Medicagosativa* L.) or phalaris (*Phalaris aquatica* L.). 1047
Deaville ER *See* Givens DI *et al.* 1131
Del Pozo A, Dennett MD Analysis of the distribution of light, leaf nitrogen, and photosynthesis within the canopy of *Vicia faba* L. at two contrasting plant densities. 183
Dennett MD *See* Del Pozo A *et al.* 183
Dicks P *See* Villar D *et al.* 1365
Dickson T *See* Aitken RL *et al.* 191
Dixon RM Effects of addition of urea to a low nitrogen diet on the rumen digestion of a range of roughages. 1091
Dixon RM, Stockdale CR Associative effects between forages and grains: consequences for feed utilisation. 757
Donaldson RA *See* Robertson MJ *et al.* 65
Dove H *See* Gatford KL *et al.* 453. *See* Siever-Kelly C *et al.* 465. *See* Leury BJ *et al.* 487
Dove H, Wood JT, Simpson RJ, Leury BJ, Ciavarella TA, Gatford KL, Siever-Kelly C Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. III. Quantitative basis of the alkane-based procedures for estimating diet selection and herbage intake by grazing sheep. 475
Dunbabin MT, Cocks PS Ecotypic variation for seed dormancy contributes to the success of capeweed in Western Australia. 1451
Dunshea FR *See* D'Souza DN *et al.* 109
Dunshea FR, Kerton DJ, Eason PJ, King RH Supplemental skim milk before and after weaning improves growth performance of pigs. 1165

Eagles HA *See* Smith KF *et al.* 79. *See* Panozzo JF *et al.* 997, 1007
Eason PJ *See* Dunshea FR *et al.* 1165
Easton HS *See* Smith KF *et al.* 79
Edwards DG *See* Olsen JK *et al.* 223, 239
Edwards J, Parbery DG, Taylor PA, Halloran GM Effects of *Puccinia menthae* on growth and yield of Todd's Mitcham peppermint (*Mentha* × *piperita*). 1273
Eichner R *See* Schneider B *et al.* 333
Evers AD, Blakeney AB, O'Brien L Cereal structure and composition. 629

Faichney GJ, Graham NM, Walker DM Rumen characteristics, methane emissions, and digestion in weaned lambs reared in isolation. 1083
Farrell DJ *In vivo* and *in vitro* techniques for the assessment of the energy content of feed grains for poultry: a review. 881
Fernández ON *See* Vignolio OR *et al.* 555
Fleet MR *See* Parsons YM *et al.* 1099
Flinn PC *See* Saul GR *et al.* 537. *See* Kitessa S *et al.* 825. *See* Hogan JP *et al.* 843
Ford EJ *See* Smettem KRJ *et al.* 283
Forrester RI *See* Kelman WM *et al.* 969
Fortune JA *See* Ru YJ *et al.* 1191
French R *See* Jettner RJ *et al.* 1017
Fukai S *See* Kamoshita A *et al.* 137. *See* Borrell AK *et al.* 1399

Galea VJ *See* Olsen JK *et al.* 223, 239
Galwey NW *See* Dahanayake SR *et al.* 1417
Gardner GE, Kennedy L, Milton JTB, Pethick DW Glycogen metabolism and ultimate pH of muscles in Merino, first-cross, and second-cross wether lambs as affected by stress before slaughter. 175
Garside AL *See* Ockerby SE *et al.* 937, 945. *See* Borrell AK *et al.* 1399
Gatford KL *See* Siever-Kelly C *et al.* 465. *See* Dove H *et al.* 475. *See* Leury BJ *et al.* 487
Gatford KL, Simpson RJ, Siever-Kelly C, Leury BJ, Dove H, Ciavarella TA Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. I. Effects on pasture yield and nutritive value. 453
Gault RR *See* Riffkin PA *et al.* 261
Gazzola C, Hunter RA Reducing metabolic rate by immunoneutralisation of catecholamines. 441
Gibb K *See* Schneider B *et al.* 333
Gill RJ *See* Ravindran V *et al.* 1159
Givens DI, Deaville ER The current and future role of near infrared reflectance spectroscopy in animal nutrition: a review. 1131
Glennie-Holmes M *See* Zhou MX *et al.* 1409
Goulter KC *See* Miric E *et al.* 325
Grace ND *See* Lee J *et al.* 1341
Graham NM *See* Faichney GJ *et al.* 1083

Hailes KJ *See* Aitken RL *et al.* 191
Halloran GM *See* Edwards J *et al.* 1273
Hammer GL *See* Birch CJ *et al.* 513
Haque I, Lupwayi NZ Landform and phosphorus effects on nitrogen fixed by annual clovers and its contribution to succeeding cereals in the Ethiopian highlands. 1393
Harden TJ *See* Simpfendorfer S *et al.* 1469
Harper GS Trends in skeletal muscle biology and the understanding of toughness in beef. 1105
Harris DJ *See* Petterson DS *et al.* 775
Harris PM *See* Lee J *et al.* 413
Harvey G *See* Stevens RM *et al.* 343
Hayward AC *See* Stirling AM *et al.* 1459
Hegarty RS Mechanisms for competitively reducing ruminal methanogenesis. 1299
Reducing rumen methane emissions through elimination of rumen protozoa. 1321
Hegarty RS *See* Klieve AV *et al.* 1315
Helliwell S *See* Zhou MX *et al.* 1409
Heng LK *See* Smettem KRJ *et al.* 283
Henzell AL *See* Barwick SA *et al.* 503
Herd RM *See* Archer JA *et al.* 147
Hetherington SD, Irwin JAG Pathological and molecular variation in the interaction between *Sporobolus* spp. and *Bipolaris* spp. 583
Hew LI *See* Ravindran V *et al.* 1159
Hill JA, Ponzoni RW, James JW Micron blowout: heritability and genetic correlations with fibre diameter and secondary follicle diameter. 1375
Hogan JP, Flinn PC An assessment by *in vivo* methods of grain quality for ruminants. 843
Holden PD *See* Ockerby SE *et al.* 937
Howden SM, Reyenga PJ Methane emissions from Australian livestock: implications of the Kyoto Protocol. 1285
Howieson JG *See* Loi A *et al.* 303, 1073
Huett DO, Morris SC Fertiliser use efficiency by containerised nursery plants. 3. Effect of heavy leaching and damaged fertiliser prills on plant growth, nutrient uptake, and nutrient loss. 217
Huett DO, Stewart GR Timing of ^{15}N fertiliser application, partitioning to reproductive and vegetative tissue, and nutrient removal by field-grown low-chill peaches in the subtropics. 211
Huffaker RG *See* Tozer PR *et al.* 431
Hughes RJ *See* Choct M *et al.* 447
Hughes RJ, Choct M Chemical and physical characteristics of grains that are related to variability in energy and amino acid availability in poultry. 689

Hunter MN *See* Olsen JK *et al.* 223, 239
Hunter RA *See* Gazzola C *et al.* 441. *See* McCrabb GJ *et al.* 1335
Huyghe C *See* Lagunes-Espinoza LC *et al.* 575

Inman-Bamber NG *See* Robertson MJ *et al.* 65
Irish GG *See* Kitessa S *et al.* 825
Irwin JAG *See* Hetherington SD *et al.* 583
Jacobs JL *See* McKenzie FR *et al.* 1059, 1067

Jahufer MZZ, Cooper M, Bray RA, Ayres JF Evaluation of white clover (*Trifolium repens* L.) populations for summer moisture stress adaptation in Australia. 561
James JW *See* Hill JA *et al.* 1375
Jettner R, Siddique KHM, Loss SP, French RJ Optimum plant density of desi chickpea (*Cicer arietinum* L.) increases with increasing yield potential in south-western Australia. 1017
Jettner R *See* Siddique KHM *et al.* 375
Joblin KN Ruminal acetogens and their potential to lower ruminant methane emissions. 1307
Johns GG, Vimpany IA Interaction of pH amendment and potassium fertiliser on soil chemistry and banana plant growth. 199
Johnson SB *See* Armstrong RD *et al.* 909, 925
Johnston WH, Clifton CA, Cole IA, Koen TB, Mitchell ML, Waterhouse DB Low input grasses useful in limiting environments (LIGULE). 29
Jones RAC *See* Cheng Y *et al.* 589. *See* Bwye AM *et al.* 985
Judson GJ *See* Lee J *et al.* 1341

Kaiser AG Increasing the utilisation of grain when fed whole to ruminants. 737
Kamoshita A, Fukai S, Muchow RC, Cooper M Grain nitrogen concentration differences among three sorghum hybrids with similar grain yield. 137
Kearney GA *See* Riffkin PA *et al.* 261. *See* Saul GR *et al.* 537. *See* Cayley JWD *et al.* 547, 1179. *See* McKenzie FR *et al.* 1059, 1067
Keatinge JDH *See* Qamar IA *et al.* 1, 11, 21
Kelly RW *See* McNeill DM *et al.* 1171
Kelman WM, Forrester RI Germination and seedling growth at low temperature: comparisons of *Lotus* species and effects of selection and seed source in *L. pedunculatus* Cav. 969
Kennedy L *See* Gardner GE *et al.* 175
Kerton DJ *See* Dunshea FR *et al.* 1165
Khan TN *See* Wroth JM *et al.* 601
King RH *See* Dunshea FR *et al.* 1165
Kirkegaard JA, Sarwar M Glucosinolate profiles of Australian canola (*Brassica napus annua* L.) and Indian mustard (*Brassica juncea* L.) cultivars: implications for biofumigation. 315
Kitessa S, Flinn PC, Irish GG Comparison of methods used to predict the *in vivo* digestibility of feeds in ruminants. 825
Klieve AV, Hegarty RS Opportunities for biological control of methanogenesis. 1315
Knight R *See* Kohpina S *et al.* 1475
Knutson RJ *See* Lee J *et al.* 413
Koen TB *See* Johnston WH *et al.* 29
Kohpina S, Knight R, Stoddard FL Variability of *Ascochyta fabae* in South Australia. 1475

Kuskopf B *See* Armstrong RD *et al.* 909, 925
Lafarga A *See* Voltas J *et al.* 1263
Lagunes-Espinoza LC, Huyghe C, Papineau J, Pacault D Effect of genotype and environment on pod wall proportion in white lupin: consequences to seed yield. 575
Lassey KR *See* Ulyatt MJ *et al.* 1329
Lee J, Knutson RJ, Davis SR, Louie K, Mackenzie DDS, Harris PM Sulfur amino acid metabolism in the whole body and mammary gland of the lactating Saanen goat. 413
Lee J, Masters DG, White CL, Grace ND, Judson GJ Current issues in trace element nutrition of grazing livestock in Australia and New Zealand. 1341
Lefroy R *See* Chen W *et al.* 1381
Lescun CL *See* Saul GR *et al.* 537. *See* Cayley JWD *et al.* 1179
Leury BJ *See* D'Souza DN *et al.* 109. *See* Gatford KL *et al.* 453. *See* Siever-Kelly C *et al.* 465. *See* Dove H *et al.* 475
Leury BJ, Siever-Kelly C, Gatford KL, Simpson RJ, Dove H Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. IV. Diet composition, herbage intake, and performance in grazing sheep. 487
Lisle AT *See* Nasir N *et al.* 1279
Liu A, Tang C Comparative performance of *Lupinus albus* genotypes in response to soil alkalinity. 1435
Liu SM *See* Masters DG *et al.* 497
Loi A, Cocks PS, Howieson JG, Carr SJ Hardseededness and the pattern of softening in *Biserrula pelecinus* L., *Ornithopus compressus* L. and *Trifolium subterraneum* L. seeds. 1073
Loi A, Howieson JG, Cocks PS, Carr SJ Genetic variation in populations of two Mediterranean annual pasture legumes (*Biserrula pelecinus* L. and *Ornithopus compressus* L.) and associated rhizobia. 303
Loss SP *See* Siddique KHM *et al.* 375. *See* Berger JD *et al.* 389, 403. *See* Jettner R *et al.* 1017
Louie K *See* Lee J *et al.* 413
Lu MQ, O'Brien L, Stuart IM Environmental and genetic variation for grain yield and barley malting quality attributes. 1425
Lupwayi NZ *See* Haque I *et al.* 1393

Maceira NO *See* Vignolio OR *et al.* 555
Mackenzie DDS *See* Lee J *et al.* 413
Masters DG *See* Lee J *et al.* 1341
Masters DG, Mata G, Liu SM The influence of type and timing of protein supplementation on wool growth and protein synthesis in the skin of young Merino sheep. 497
Mata G *See* Masters DG *et al.* 497
Mathie MH *See* Barrett-Lennard EG *et al.* 129
McCosker K *See* Armstrong RD *et al.* 909, 925
McCrabb GJ *See* Ulyatt MJ *et al.* 1329
McCrabb GJ, Hunter RA Prediction of methane emissions from beef cattle in tropical production systems. 1335
McKay AC *See* Taylor SP *et al.* 617
McKenzie FR, Jacobs JL, Ryan MJ, Kearney G Effect of rate and time of nitrogen application from autumn to midwinter on perennial ryegrass–white clover dairy pastures in western Victoria. 2. Pasture nutritive value. 1067
McKenzie FR, Ryan MJ, Jacobs JL, Kearney G Effect of rate and time of nitrogen application from autumn to midwinter on perennial ryegrass–white clover dairy pastures in western Victoria. 1. Growth and composition. 1059
McMeniman NP *See* Bortolussi G *et al.* 93
McMillen SR *See* Villar D *et al.* 1365
McNeill DM, Kelly RW, Williams IH Maternal fatness influences fetal size in ewes underfed in late pregnancy. 1171
McSweeney CS *See* Odenyo AA *et al.* 1147
Millar G *See* Armstrong RD *et al.* 909, 925
Milton JTB *See* Gardner GE *et al.* 175
Miric E, Aitken EAB, Goulter KC Identification in Australia of the quarantine pathogen of sunflower *Phoma macdonaldii* (Teleomorph: *Leptosphaeria lindquistii*). 325
Mitchell ML *See* Johnston WH *et al.* 29
Moody PW *See* Aitken RL *et al.* 191
Morgan JM Pollen grain expression of a gene controlling differences in osmoregulation in wheat leaves: a simple breeding method. 953

Changes in rheological properties and endosperm peroxidase activity associated with breeding for an osmoregulation gene in bread wheat. 963
Morris SC *See* Huett DO *et al.* 217
Moughan PJ *In vitro* techniques for the assessment of nutritive value of feed grains for pigs: a review. 871
Muchow RC *See* Robertson MJ *et al.* 65. *See* Kamoshita A *et al.* 137. *See* Pengelly BC *et al.* 253
Muller LM *See* Olsen JK *et al.* 223, 239
Murray GM *See* Simpfendorfer S *et al.* 1469

Nasir N *See* Pittaway PA *et al.* 623
Nasir N, Pittaway PA, Pegg KG, Lisle AT A pilot study investigating the complexity of Fusarium wilt of bananas in West Sumatra, Indonesia. 1279
Negassa D *See* Odenyo AA *et al.* 1147
Nicolas ME *See* Savin R *et al.* 357
Noor Mohammad (the late) *See* Qamar IA *et al.* 1, 11, 21

O'Brien L Genotype and environment effects on feed grain quality. 703
O'Brien L *See* Evers AD *et al.* 629. *See* Lu MQ *et al.* 1425
Ockerby SE, Adkins SW, Garside AL The uptake and use of nitrogen by paddy rice in fallow, cereal, and legume cropping systems. 945
Ockerby SE, Garside AL, Adkins SW, Holden PD Prior crop and residue incorporation time affect the response of paddy rice to fertiliser nitrogen. 937
Odenyo AA, McSweeney CS, Palmer B, Negassa D, Osuji PO *In vitro* screening of rumen fluid samples from indigenous African ruminants provides evidence for rumen fluid with superior capacities to digest tannin-rich fodders. 1147
Oliver YM *See* Smettem KRJ *et al.* 283
Olsen JK, Schaefer JT, Edwards DG, Hunter MN, Galea VJ, Muller LM Effects of mycorrhizae, established from an existing intact hyphal network, on the growth response of capsicum (*Capsicum annuum* L.) and tomato (*Lycopersicon esculentum* Mill.) to five rates of applied phosphorus. 223
Effects of a network of mycorrhizae mycelium on capsicum (*Capsicum annuum* L.) grown in the field with five rates of applied phosphorus. 239
Osuji PO *See* Odenyo AA *et al.* 1147

Pacault D *See* Lagunes-Espinoza LC *et al.* 575
Padovan A *See* Schneider B *et al.* 333
Palmer B *See* Odenyo AA *et al.* 1147
Palta JA, Plaut Z Yield and components of seed yield of indeterminate narrow-leafed lupin (*Lupinus angustifolius* L.) subjected to transient water deficit. 1225
Panozzo JF, Eagles HA Rate and duration of grain filling and grain nitrogen accumulation of wheat cultivars grown in different environments. 1007
Panozzo JF, Eagles HA, Cawood RJ, Wootton M Wheat spike temperatures in relation to varying environmental conditions. 997
Papineau J *See* Lagunes-Espinoza LC *et al.* 575
Parbery DG *See* Edwards J *et al.* 1273
Parsons YM, Fleet MR, Cooper DW The *Agouti* gene: a positional candidate for recessive self-colour pigmentation in Australian Merino sheep. 1099
Partington DL *See* Stevens RM *et al.* 343
Payne E Fatty acid synthesis in lambs *in vivo* as affected by nutrition and hormone administration. 163
Pegg KG *See* Pittaway PA *et al.* 623. *See* Nasir N *et al.* 1279. *See* Stirling AM *et al.* 1459
Pengelly BC, Muchow RC, Blamey FPC Predicting leaf area development in response to temperature in three tropical annual forage legumes. 253
Peoples MB *See* Riffkin PA *et al.* 261, 273. *See* Dear BS *et al.* 1047
Pethick DW *See* Gardner GE *et al.* 175. *See* Rowe JB *et al.* 721
Petterson DS, Harris DJ, Rayner CJ, Blakeney AB, Choct M Methods for the analysis of premium livestock grains. 775
Pittaway PA *See* Nasir N *et al.* 1279
Pittaway PA, Nasir N, Pegg KG Soil receptivity and host–pathogen dynamics in soils naturally infested with *Fusarium oxysporum* f. sp. *cubense*, the cause of Panama disease in bananas. 623
Pittolo PH *See* Ravindran V *et al.* 1159
Plaut Z *See* Palta JA *et al.* 1225
Ponzoni RW *See* Hill JA *et al.* 1375
Powles SB *See* Rieger MA *et al.* 115
Preston C *See* Rieger MA *et al.* 115
Probert ME *See* Armstrong RD *et al.* 909, 925
Proudlove W *See* Bwye AM *et al.* 985

Qamar IA, Keatinge JDH, Noor Mohammad (the late), Ali A, Ajmal Khan M Introduction and management of vetch/barley forage mixtures in the rainfed areas of Pakistan. 1. Forage yield. 1
2. Forage quality. 11
3. Residual effects on following cereal crops. 21
Quigley PE *See* Riffkin PA *et al.* 261, 273

Rathjen AJ *See* Brand JD *et al.* 1027
Ravindran G *See* Ravindran V *et al.* 1159
Ravindran V, Bryden WL Amino acid availability in poultry—*in vitro* and *in vivo* measurements. 889
Ravindran V, Hew LI, Ravindran G, Gill RJ, Pittolo PH, Bryden WL Influence of xylanase supplementation on the apparent metabolisable energy and ileal amino acid digestibility in a diet containing wheat and oats, and on the performance of three strains of broiler chickens. 1159
Rayner CJ *See* Petterson DS *et al.* 775
Rebetzke GJ *See* Smith KF *et al.* 79
Rebetzke GJ, Richards RA Genetic improvement of early vigour in wheat. 291
Regan KL *See* Siddique KHM *et al.* 375
Reid DJ *See* Borrell AK *et al.* 1399
Rengel Z *See* Zhang X *et al.* 365
Revell CK *See* Taylor GB *et al.* 1203
Revell CK, Taylor GB, Cocks PS Effect of length of growing season on development of hard seeds in yellow serradella and their subsequent softening at various depths of burial. 1211
Revell DK, Baker SK, Barrie Purser D Nitrogen and sulfur mobilised from body tissue can be used for wool growth. 101
Reyenga PJ *See* Howden SM *et al.* 1285
Rhind SM *See* Villar D *et al.* 1365
Richards RA *See* Rebetzke GJ *et al.* 291
Richardson EC *See* Archer JA *et al.* 147
Rickert KG *See* Birch CJ *et al.* 513
Ridley AM, Simpson RJ, White RE Nitrate leaching under phalaris, cocksfoot, and annual ryegrass pastures and implications for soil acidification. 55
Rieger MA, Preston C, Powles SB Risks of gene flow from transgenic herbicide-resistant canola (*Brassica napus*) to weedy relatives in southern Australian cropping systems. 115
Riffkin PA, Quigley PE, Cameron FJ, Peoples MB, Thies JE Annual nitrogen fixation in grazed dairy pastures in south-western Victoria. 273
Riffkin PA, Quigley PE, Kearney GA, Cameron FJ, Gault RR, Peoples MB, Thies JE Factors associated with biological nitrogen fixation in dairy pastures in south-western Victoria. 261
Riley IT *See* You MP *et al.* 977
Robards K *See* Zhou MX *et al.* 1409
Roberts GL *See* Zhou MX *et al.* 1409

Robertson MJ, Muchow RC, Donaldson RA, Inman-Bamber NG, Wood AW Estimating the risk associated with drying-off strategies for irrigated sugarcane before harvest. 65
Romagosa A *See* Voltas J *et al.* 1263
Rowe JB, Choct M, Pethick DW Processing cereal grains for animal feeding. 721
Ru YJ, Fortune JA Effect of grazing intensity and cultivar on morphology, phenology, and nutritive value of subterranean clover. 1. Morphology and phenology of subterranean clover during the growing season. 1191
Russ MH *See* Taylor SP *et al.* 617
Ryan MJ *See* McKenzie FR *et al.* 1059, 1067

Sarwar M *See* Kirkegaard JA *et al.* 315
Saul GR *See* Cayley JWD *et al.* 1179
Saul GR, Kearney GA, Flinn PC, Lescun CL Effects of superphosphate fertiliser and stocking rate on the nutritive value of perennial ryegrass and subterranean clover herbage. 537
Savin R, Nicolas ME Effects of timing of heat stress and drought on growth and quality of barley grains. 357
Schaefer JT *See* Olsen JK *et al.* 223, 239
Schneider B, Padovan A, De La Rue S, Eichner R, Davis R, Bernuetz A, Gibb K Detection and differentiation of phytoplasmas in Australia: an update. 333
Scott J *See* Chen W *et al.* 1381
Siddique KHM *See* Berger JD *et al.* 389, 403. *See* Jettner R *et al.* 1017
Siddique KHM, Loss SP, Regan KL, Jettner R Adaptation and seed yield of cool season grain legumes in Mediterranean-type environments of south-western Australia. 375
Siever-Kelly C *See* Gatford KL *et al.* 453. *See* Dove H *et al.* 475. *See* Leury BJ *et al.* 487
Siever-Kelly C, Leury BJ, Gatford KL, Simpson RJ, Dove H Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. II. Herbage intake, digestibility, and diet selection in penned sheep. 465
Simpfendorfer S, Harden TJ, Murray GM The *in vitro* inhibition of *Phytophthora clandestina* by some rhizobia and the possible role of *Rhizobium trifolii* in biological control of *Phytophthora* root rot of subterranean clover. 1469
Simpson RJ *See* Ridley AM *et al.* 55. *See* Gatford KL *et al.* 453. *See* Siever-Kelly C *et al.* 465. *See* Dove H *et al.* 475. *See* Leury BJ *et al.* 487
Sivasithamparam K *See* You MP *et al.* 977
Smettem KRJ, Bristow KL Obtaining soil hydraulic properties for water balance and leaching models from survey data. 2. Hydraulic conductivity. 1259
Smettem KRJ, Oliver YM, Heng LK, Bristow KL, Ford EJ Obtaining soil hydraulic properties for leaching models from survey data. 1. Water retention. 283
Smith AB *See* Dear BS *et al.* 1047
Smith KF, Rebetzke GJ, Eagles HA, Anderson MW, Easton HS Genetic control of mineral concentration and yield in perennial ryegrass (*Lolium perenne* L.) with special emphasis on minerals related to grass tetany. 79
Sombrero A *See* Voltas J *et al.* 1263
Standley J *See* Armstrong RD *et al.* 909, 925
Stevens RM, Harvey G, Partington DL, Coombe BG Irrigation of grapevines with saline water at different growth stages. 1. Effects on soil, vegetative growth, and yield. 343
Stewart GR *See* Huett DO *et al.* 211
Stirling AM, Pegg KG, Hayward AC, Stirling GR Effect of copper fungicide on *Colletotrichum gloeosporioides* and other microorganisms on avocado leaves and fruit. 1459
Stirling GR *See* Stirling AM *et al.* 1459
Stockdale CR *See* Dixon RM *et al.* 757
Stoddard FL *See* Kohpina S *et al.* 1475
Stuart IM *See* Lu MQ *et al.* 1425
Swan AD *See* Dear BS *et al.* 1047
Szot D *See* Taylor SP *et al.* 617

Tang C *See* Brand JD *et al.* 1027. *See* Liu A *et al.* 1435
Taylor GB *See* Revell CK *et al.* 1211
Taylor GB, Revell CK Effect of pod burial, light, and temperature on seed softening in yellow serradella. 1203
Taylor PA *See* Edwards J *et al.* 1273
Taylor SP, Vanstone VA, Ware AH, McKay AC, Szot D, Russ MH Measuring yield loss in cereals caused by root lesion nematodes (*Pratylenchus neglectus* and *P. thornei*) with and without nematicide. 617
Ternouth JH *See* Bortolussi G *et al.* 93
Thies JE *See* Riffkin PA *et al.* 261, 273
Tozer PR, Huffaker RG Mathematical equations to describe lactation curves for Holstein–Friesian cows in New South Wales. 431
Turner NC *See* Bolger TP *et al.* 1035

Ulyatt MJ, Baker SK, McCrabb GJ, Lassey KR Accuracy of SF_6 tracer technology and alternatives for field measurements. 1329

van Barneveld RJ Chemical and physical characteristics of grains related to variability in energy and amino acid availability in pigs: a review. 667
Physical and chemical contaminants in grains used in livestock feeds. 807
van Barneveld SL Chemical and physical characteristics of grains related to variability in energy and amino acid availability in ruminants: a review. 652
van Ratingen P *See* Barrett-Lennard EG *et al.* 129
Vanstone VA *See* Taylor SP *et al.* 617
Vignolio OR, Fernández ON, Maceira NO Flooding tolerance in five populations of *Lotus glaber* Mill. (Syn. *Lotus tenuis* Waldst. et. Kit.). 555
Villar D, McMillen SR, Dicks P, Rhind SM The effects of bovine somatotropin on hair follicle activity and cashmere fibre growth in goats. 1365
Vimpany IA *See* Johns GG *et al.* 199
Voltas J, Romagosa A, Lafarga A, Armesto AP, Sombrero A, Araus JL Genotype by environment interaction for grain yield and carbon isotope discrimination of barley in Mediterranean Spain. 1263

Walker DM *See* Faichney GJ *et al.* 1083
Walsh KB *See* Armstrong RD *et al.* 909, 925
Ware AH *See* Taylor SP *et al.* 617
Warner RD *See* D'Souza DN *et al.* 109
Wasimi SA *See* Amirul Islam FM *et al.* 529
Waterhouse DB *See* Johnston WH *et al.* 29
White CL *See* Lee J *et al.* 1341
White CL, Ashes JR A review of methods for assessing the protein value of grain fed to ruminants. 855
White RE *See* Ridley AM *et al.* 55
Williams IH *See* McNeill DM *et al.* 1171
Wood AW *See* Robertson MJ *et al.* 65
Wood GR *See* Amirul Islam FM *et al.* 529
Wood JT *See* Dove H *et al.* 475
Wootton M *See* Panozzo JF *et al.* 997
Wrigley CW Potential methodologies and strategies for the rapid assessment of feed-grain quality. 789
Wroth JM, Khan TN Differential responses of field pea (*Pisum sativum* L.) to ascochyta blight (*Mycosphaerella pinodes*): rating disease in the field. 601

You MP, Sivasithamparam K, Riley IT Relationship of rainfall, cultural practices, soil and plant nutrients, and seedling survival with root disease and parasitic nematode numbers in annual *Medicago* spp. pastures. 977

Zhang X, Rengel Z Gradients of pH, ammonium, and phosphorus between the fertiliser band and wheat roots. 365

Zhou MX, Glennie-Holmes M, Roberts GL, Robards K, Helliwell S The effect of growing sites on grain quality of oats and pasting properties of oatmeals. 1409